

MIAMI-DADE COUNTY, FLORIDA
METRO-DADE FLAGLER BUILDING
140 WEST FLAGLER STREET, SUITE 1603
MIAMI, FLORIDA 33130-1563
(305) 375-2901 FAX (305) 375-2908

## **NOTICE OF ACCEPTANCE (NOA)**

Therma-Tru Corporation 108 Mutzfeld Road Butler, IN 46721

#### SCOPE:

This NOA is being issued under the applicable rules and regulations governing the use of construction materials. The documentation submitted has been reviewed by Miami-Dade County Product Control Division and accepted by the Board of Rules and Appeals (BORA) to be used in Miami Dade County and other areas where allowed by the Authority Having Jurisdiction (AHJ).

This NOA shall not be valid after the expiration date stated below. The Miami-Dade County Product Control Division (In Miami Dade County) and/or the AHJ (in areas other than Miami Dade County) reserve the right to have this product or material tested for quality assurance purposes. If this product or material fails to perform in the accepted manner, the manufacturer will incur the expense of such testing and the AHJ may immediately revoke, modify, or suspend the use of such product or material within their jurisdiction. BORA reserves the right to revoke this acceptance, if it is determined by Miami-Dade County Product Control Division that this product or material fails to meet the requirements of the applicable building code.

This product is approved as described herein, and has been designed to comply with the High Velocity Hurricane Zone of the Florida Building Code.

# DESCRIPTION: "Construction" Series Flush Outswing Residential Insulated Steel Door

**APPROVAL DOCUMENT:** Drawing No. **B0107**, titled "3/0 X 6/8 Steel Outswing", sheets 1 through 2 of 2, prepared by manufacturer, dated 10/28/96, last revision on 5/27/99, bearing the Miami-Dade County Product Control Renewal stamp with the Notice of Acceptance number and expiration date by the Miami-Dade County Product Control Division.

# MISSILE IMPACT RATING: Large Missile Impact

**LABELING:** Each unit shall bear a permanent label with the manufacturer's name or logo, city, state and following statement: "Miami-Dade County Product Control Approved", unless otherwise noted herein.

**RENEWAL** of this NOA shall be considered after a renewal application has been filed and there has been no change in the applicable building code negatively affecting the performance of this product.

**TERMINATION** of this NOA will occur after the expiration date or if there has been a revision or change in the materials, use, and/or manufacture of the product or process. Misuse of this NOA as an endorsement of any product, for sales, advertising or any other purposes shall automatically terminate this NOA. Failure to comply with any section of this NOA shall be cause for termination and removal of NOA.

**ADVERTISEMENT:** The NOA number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the NOA is displayed, then it shall be done in its entirety.

**INSPECTION:** A copy of this entire NOA shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at the request of the Building Official.

This NOA renews NOA # 99-0311.01 and, consists of this page 1 as well as approval document mentioned above. The submitted documentation was reviewed by Ishaq I. Chanda, P.E.



NOA No 02-1022.15 Expiration Date: December 02, 2007

Approval Date: November 21, 2002

Page 1

## **Therma-Tru Corporation**

## NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED

(For File ONLY. Not part of NOA)

## A. DRAWINGS

- 1. Manufacturer's die drawings and sections.
- 2. Drawing No. Drawing No. B0107, titled "3/0 X 6/8 Steel Outswing", sheets 1 through 2 of 2, prepared by manufacturer, dated 10/28/96, last revised on 5/27/99.

#### B. TESTS

1. Test report in file # 96-0812.02 & # 96-0403.01.

### C. CALCULATIONS

1. Calcs transferred from file # 99-0311.01.

### D. MATERIAL CERTIFICATIONS

1. Mat'l certification documents in file # 96-0812.02 & # 96-0403.01.

### E. STATEMENTS

Statement letter of "No change from previous approval", dated 10-09-02 issued by Therma-Tru, signed by Steve Jasperson.


## F. OTHER


- 1. This NOA renews 99-0311.01, which expires on 12-02-02.
- 2. Previous associated files 96-0812.02 and 96-0403.01.


I shag 1. Lhanda

Ishaq I. Chanda, P.E. Product Control Examiner NOA No 02-1022.15

Expiration Date: December 02, 2007 Approval Date: November 21, 2002







UNIT INSTALLATION

CONFIGURATION: X

DESIGN PRESSURE RATING		
POSITIVE	+ 55.0 psf	
NEGATIVE	- 65.6 psf	

14	20	3/16′ X 2 3/4′ TAPCON SCREV
13	10	2 1/2" STAPLES
12	20	#10 X 2 3/4" SCREWS
11	AS REGID	SEALANT
10	3	4" X 4" THERMA-TRU BRAND SELF-LOCATING HINGES SECURED 11/4 #10 X $2\ 1/2$ " FHWS (2 TOP - 1 CENTER AND BOTTOM) AND 8 #10 X $3/4$ " FHWS
9	1	KWIKSET 660 SERIES DEAD BOLT
8	1	KWIKSET 200 SERIES LOCK SET
7	1	ALUMINUM DUTSWING SILL W/ BUMPER SEAL
6	AS REDO	THERMA-TRU BRAND COMPRESSION WEATHERSTRIP
5	3	4 9/16" X 1 1/4" FINGERJOINTED PINE JAMBS & HEADER KERFED 1/8" X 1/2" FOR COMPRESSION WEATHERSTRIP.
4	2	15/16" x 1 1/4" END RAILS
3	2	1 1/4" X 1 11/16" PINE STILES
2	as regd	POLYURETHANE FOAM CORE, BASE ELASTOPOR P10160-R RESINÆLASTOPOR P1038 ISOCYANATE RIGIO URETHANE FOAN SYSTEM, SELF-BONDED TO INSIDE FACES. MINIMUM DENSITY 1.9 LBS/CU. FT.
1	2	STEEL, COLD ROLLED MIN. 25 GA. (MIN. 0.018" THK) COATING WEIGHT 0.102 DUNCE/SF (TOTAL BOTH SIDES); YIELD STRENGTH: Fy = 26,900 psi.
ITEM	QTY	DESCRIPTION

BILL OF MATERIAL

3/0 X 6/8 STEEL DUTSWING

date: scale: 10-28-96: NONE

CORPORATION

APPROVED AS COMPLYING WITH THE

DATE August 12 1999 BY Ishaq 1. Chanda

BUILDING CODE COMPLIANCE OFFICE. ACCEPTANCE NO. 99-0311-01

SOUTH FLORIDA BUILDING CODE

PRODUCT CONTROL DIVIS ON

THERMA ITRU°

PRODUCT RENEWED as complying with the Florida Building Code Acceptance No 02-1022-15 Expiration Date Decempare 02

By [Shag]. Lhanda Mismi Dade Product Control Division

